

**APPLICATION FOR PERMISSION TO CHANGE POINT OF  
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE  
PUBLIC WATERS OF THE STATE OF NEVADA  
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office NOV 03 1997

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_

Map filed NOV 03 1997

\*\*\*\*\*

The applicant J & T Partnership, hereby makes application for permission to change the Point of Diversion, Place of Use and Manner of Use of a portion of water heretofore appropriated under Permit No. 10795, Certificate 3153

\*\*\*\*\*

1. The source of water is an underground source
2. The amount of water to be changed 2.72 ac. ft. per annum (0.0038 cfs)
3. The water to be used for Quasi-Municipal purposes
4. The water heretofore permitted for Irrigation purposes
5. The water is to be diverted at the following point within the SE $\frac{1}{4}$  SW $\frac{1}{4}$  of Section 23, Township 22 South, Range 60 East, M.D.B.&M. at a point that bears North 44 $^{\circ}$  00' West a distance of 1,050 ft. from the South  $\frac{1}{4}$  corner of said Section 23.
6. The existing permitted point of diversion is located within the NE $\frac{1}{4}$  NE $\frac{1}{4}$  of Section 27, Township 19 South, Range 60 East, M.D.B.&M. at a point that bears North 15 $^{\circ}$  45' 50" West a distance of 5807.14 ft. to the North  $\frac{1}{4}$  corner of Section 22, Township 19 South, Range 60 East, M.D.B.&M.
7. Proposed place of use is 32 acres within the SE $\frac{1}{4}$  SW $\frac{1}{4}$  and the SW $\frac{1}{4}$  SE $\frac{1}{4}$  of Section 23, Township 22 South, Range 60 East, M.D.B.&M.
8. Existing place of use is 0.376 acres within the NE $\frac{1}{4}$  NE $\frac{1}{4}$  of Section 27, Township 19 South, Range 60 East, M.D.B.&M.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works Well, pump, pressure tank and distribution pipeline
12. Estimated cost of works \$25,000.00
13. Estimated time required to construct works 3 years
14. Estimated time required to complete the application of water to beneficial use 5 years
15. Remarks: Water is to be used for an office/warehousing project

By s/Stephen F. Turner, agent  
Stephen F. Turner  
1210 Hinson Street  
Las Vegas, Nevada 89102

Compared my/cms lw/bk

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 10795, Certificate 3153 is issued subject to the terms and conditions imposed in said Permit 10795, Certificate 3153 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of Permit 63548 completely abrogates Permit 10795, Certificate 3153.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0038 cubic feet per second, but not to exceed 2.72 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 6, 1999

Proof of completion of work shall be filed before:

August 6, 1999

Application of water to beneficial use shall be filed on or before:

July 6, 2000

Proof of the application of water to beneficial use shall be filed on or before:

August 6, 2000

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 20th day of March, A.D. 1998

  
State Engineer

Completion of work filed \_\_\_\_\_

Proof of beneficial use filed \_\_\_\_\_

Cultural map filed \_\_\_\_\_

Certificate No. \_\_\_\_\_ Issued \_\_\_\_\_